

HI-PACK & FILL MACHINES

Manufacturer & Exporter Of Packing Machines



FFS PACKING MACHINES
MULTITRACK LIQUID FFS
HORIZONTAL FFS MACHINE
MULTIWEIGHER WITH BAGGAR
SEALING & REWINDING MACHINE



www.hipackfill.com

Balancing the quality, durability & economy simultaneously

Zulfiqar Saifi, who laid foundation stone of his company in 1993. now running with the name of Hi-Pack & Fill Machines Pvt. Ltd. with the strong base of more than 2500 (Approx.) satisfied customers with more than 10,000 [Approx.] installations in India as well Russia, Middle East, Nepal, Bangladesh and African Companies.

As we look at customer and installation ratio it comes to 10 machines per customer which shows our constant relationship with our customers because of our Quality, Service and constant Research and Development by our team of qualified technocrats and professionals.

The experience and strong technical background of management reflects all over right from approaching a client for presentation our product and service range to installation to after sales service.

Company has its regular range of machines for regular applications and arrangements to design and manufacture machines according to customers specific need within a specific time frame.



“Our existence in Packaging Industry is not only as manufacturer but we also balance the Quality, Durability & for our client Economy simultaneously.”

Zulfiqar Saifi



HI-PACK & FILL MACHINES

Manufacturer & Exporter Of Packing Machines



VISION

Our vision is to make our customer, prosperous with futuristic machines.

MISSION

Our mission is to earn loyalty of our existing machines owners and grow our family by developing and marketing a client base who required world class packaging solutions.

MANAGEMENT

Hi-Pack has a proven records of quality of service, each member of Hi-Pack offers their own special contribution to skill base, which includes design, drafting & good old fashioned common sense.

RESEARCH & DEVELOPMENT

Hi-Pack's passionate engineers at R&D division closely observe the need of our clients and work together to transform their passion into innovation.

EXPORTS

Our outstanding performance has build customer trust and faith globally.

AFTER SALES SERVICE

Hi-Pack's spare parts and service division demonstrate our continued commitment to the customer supports and after sales service.

VALUES



Mechanical FFS Machines



HP-094
FFS Three/Four Side Seal



HP-095
Semi-Pneumatic Triangle Pack



HP-096
FFS Center/Four/Three Side Seal



| Model No. | HP-094 | HP-095 | HP-096 |
|------------------|--|--|--|
| Sealing Type | Three Side / Four Side | Triangle / Center Side | Three Side / Four Side |
| To Pack | Paste & Liquid | Paste, Liquid & Granules | Granules & Powder |
| Packaging Range | 0.5ml - 250ml | 5gm - 250gm | 25gm - 1000gm |
| Filling Type | Volumetric Pump Filler | Volumetric Cup Filler | Volumetric Pump Filler |
| Speed | 30-35 Pouches/min (Depending on the filling volume) | 20-45 Pouches/min (Depending on the filling volume) | 20-45 Pouches/min (Depending on the filling volume) |
| Packing Material | Heat Sealable Laminate | Heat Sealable Laminate | Heat Sealable Laminate |
| Power | Motor : 0.25HP/0.5HP Supply : 230V (Single Phase) Heating Load : 2kW | Motor : 0.25HP/0.5HP Supply : 230V (Single Phase) Heating Load : 2kW | Motor : 0.25hp/0.5hp Supply : 230V (Single Phase) Heating Load : 2kW |
| Compressor | - | 2.5 cu Mtrs/Hr. @ 7 Bar | - |
| Accuracy | ±1% | ±1% | ±1% |
| Dimensions (mm) | 950 x 550 x 1800 | 750 x 600 x 2600 | 750 x 550 x 2300 |
| Weight | 350 kg (Approx.) | 450 kg (Approx.) | 400 kg (Approx.) |

Mechanical FFS Machines



HP-097
FFS Auger Filler



HP-099
FFS Three Side Sealing



HP-099A
FFS Three Side Sealing



| Model No. | HP-097 | HP-099 | HP-099A |
|------------------|--|--|--|
| Sealing Type | Three Side / Four Side / Center Seal | Triangle / Center Side | Three Side / Four Side |
| To Pack | Fine Powder | Granules & Powder | Granules & Powder |
| Packaging Range | 0.5gm - 250gm | 0.5gm - 250gm | 0.5gm - 20gm |
| Filling Type | Volumetric Auger Filler | Volumetric Cup Filler | Volumetric Cup Filler |
| Speed | 30-60 Pouches/min (Depending on the filling volume) | 60-65 Pouches/min (Depending on the filling volume) | 200-350 Pouches/min (Depending on the filling volume) |
| Packing Material | Heat Sealable Laminate | Heat Sealable Laminate | Heat Sealable Laminate |
| Power | Motor : 0.25HP/0.5HP Supply : 230V (Single Phase) Heating Load : 4kW | Motor : 0.25HP/0.5HP Supply : 230V (Single Phase) Heating Load : 2kW | Motor : 0.25hp/0.5hp Supply : 230V (Single Phase) Heating Load : 3kW |
| Compressor | - | 2.5 cu Mtrs/Hr. @ 7 Bar | - |
| Accuracy | ±1% | ±1% | ±1% |
| Dimensions (mm) | 1000 x 1000 x 3000 | 900 x 650 x 2000 | 900 x 650 x 2300 |
| Weight | 350 kg (Approx.) | 350 kg (Approx.) | 450 kg (Approx.) |

Collar Type FFS Machines




HP-101
Pneumatic Collar Type Machine



HP-102
Hi-Speed Collar Type Machine

| Model No. | HP-101 | HP-102 |
|------------------|--|--|
| Sealing Type | Center Seal | Center Seal |
| To Pack | Snacks, Tea, Grains, Sugar, Coffee, Spices, Detergent Powder, Salt, etc. | Fine Powder, Mehndi, Spices, Atta, Maida (Specially fine powder those stuck in hopper) |
| Packaging Range | 10gm - 2000gm | 10gm - 2000gm |
| Filling Type | Volumetric Cup Filler | Volumetric Auger Filler |
| Speed | 15-60 Pouches/min (Depending on the filling volume) | 30-90 Pouches/min (Depending on the filling volume) |
| Packing Material | Heat Sealable Laminate | Heat Sealable Laminate |
| Power | Motor : 2.5kW/Hr Supply : 230V (Single Phase) | Motor : 7kW/Hr Supply : 230V (Single Phase) |
| Compressor | 2.5 cu Mtrs/Hr. @ 7 Bar | 4 cu Mtrs/Hr. @ 7 Bar |
| Accuracy | ±1% | ±1% |
| Dimensions (mm) | 1300 x 980 x 2500 | 1500 x 1200 x 3000 |
| Weight | 750 kg (Approx.) | 1050 kg (Approx.) |

Multiweigher With Baggar



HP-103
Multiweigh With Baggar



HP-103A
Hi-Speed Collar Type Machine

| Model No. | HP-103 | HP-103A |
|------------------|--|--|
| Number of Heads | 10 / 14 Heads | Single |
| Sealing Type | Center Seal | Center Seal |
| To Pack | Potato chips, Dry fruits, Snacks, Pasta, Fries, etc. | Snacks, Tea, Grains, Sugar, Coffee, Spices, Detergent Powder, Salt, etc. |
| Packaging Range | 10gm - 1000gm | 10gm - 1000gm |
| Filling Type | Weigh Filler - Multihead | Volumetric Cup Filler |
| Speed | 50-60 Pouches/min (Depending on the filling volume) | 9-15 Pouches/min (Depending on the filling volume) |
| Packing Material | Heat Sealable Laminate | Heat Sealable Laminate |
| Power | Motor : 75kW/Hr Supply : 230V (Three Phase) | Motor : 5kW/Hr Supply : 230V (Single Phase) |
| Accuracy | ±1% | ±1.5% |
| Dimensions (mm) | 2100 x 2000 x 4000 | 2100 x 2000 x 3000 |
| Weight | 1800 kg (Approx.) | 1200 kg (Approx.) |

MultiTrack Liquid FFS



HP-094A
Pneumatic Single Track



HP-106
Pneumatic Six Track



HP-108
Pneumatic Four Track



| Model No. | HP-094A | HP-108 | HP-106 |
|------------------|---|---|---|
| Tracks | 1 Track | 4 Track | 6 Track |
| Sealing Type | Three Side / Four Side | Four Side | Four Side |
| To Pack | Paste, Liquid & Granules | Powder & Granules | Liquid & Paste |
| Packaging Range | 0.5ml - 250ml | 0.5ml - 100ml | 0.5ml - 20ml |
| Filling Type | Pump / Cup Filling | Cup Filling | Pump Filling |
| Speed | 15-45 Pouches/min (Depending on the filling volume) | 40-45 Strokes/min (Depending on the filling volume) | 60-70 Strokes/min (Depending on the filling volume) |
| Packing Material | Heat Sealable Laminate | Heat Sealable Laminate | Heat Sealable Laminate |
| Power | 3kW (Single Phase) | 7.5kW (Three Phase) | 7.5kW (Three Phase) |
| Dimensions (mm) | 600 x 1000 x 1800 | 1500 x 1500 x 2100 | 1500 x 1500 x 3000 |
| Weight | 500 kg (Approx.) | 1100 kg (Approx.) | 1200 kg (Approx.) |

Horizontal FFS & Candy Machines



HP-098
Horizontal Flow Wrap



HP-100
Candy Pillow Pack

| Model No. | HP-098 | HP-100 |
|----------------------|--|---|
| Sealing Type | Center Seal | Center Seal |
| To Pack | Biscuits, Cream Waffer Sticks, Cake, Soap, Rusk, Chocolate Bar, Instant Noodles, Engineering Components, Hardware Products, etc. | Candies |
| Packaging Range (mm) | Length : 70 - 300 Width : 30 - 180 Height : 3 - 100 | Length : 25 - 50 Width : 20 - 50 |
| Feeding Type | Manual / Automatic | Automatic |
| Speed | 40 - 120 Pouches/min | 300 - 450 Pouches/min |
| Packing Material | Heat Sealable Laminate | Heat Sealable Laminate |
| Power | Motor : 1 HP/AC with AC Drive / Available Voltage : 220V / 440V Phase : 1 Phase / 3 Phase Load : 3kW | Motor : 1 HP/AC with AC Drive / Available Voltage : 220V / 440V Phase : 1 Phase / 3 Phase Load : 3kW |
| Dimensions (mm) | 3000 x 1700 x 1800 | 1080 x 1000 x 1360 |
| Weight | 580 kg (Approx.) | 700 kg (Approx.) |

Sealing / Rewinding Machines



HP-105A
Continuous Band Sealer



HP-105
Continuous Band Sealer

| Model No. | HP-105 | HP-105A |
|-------------------------|-------------------------------|-----------|
| | Continuous Band Sealer | |
| Sealing Strength | Three Side / Four Side | Four Side |



HP-109
Rewinding Machine

| Model No. | HP-109A | HP-109 |
|--------------------------------|---------------------|---------------------|
| Loading Type | Center Loading | Side Loading |
| Max Roll Width | 1000mm | 450mm |
| Unwinding Reel Diameter | 600mm | 400mm |
| Rewinding Reel Diameter | 76mm ØD | 76mm ØD |
| Speed | 200 mtrs/min (max.) | 150 mtrs/min (max.) |
| Web Guide Stock | ±25mm | ±25mm |
| Dimension (LxWxH) | 2200 x 1500 x 1200 | 1950 x 1580 x 1200 |
| Weight | 750kg (Approx.) | 500kg (Approx.) |



clients





Hi-Pack & Fill Machines Private Limited

Corporate Office : 16/5, Karkhana Bagh, Mathura Road, Faridabad - 121002. INDIA

Phone : +91 129 4118 735

Mobile : +91 981 194 7860 / 981 1112 394

E-mail : sales@hipackfill.com

Website : www.hipackfill.com



Scan QR
to visit website